

# **CARE LOCKING**

## **DHS/DCS INSTRUMENT SET**



**CARE DHS/DCS**

Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.

## CARE DHS/DCS INSTRUMENT SET

1546	DHS Guide wire with Thread	
1547	DHS Angle Guide 135°	
1548	Wrench for DHS Screw	
1549	DHS Triple Reamer - Standard	
1550	Impactor	
1550A	Nylon Face	
1551	TAP For DHS Screw	
1552	Centering Sleeve for TAP	
1553	Centering Sleeve for Wrench	
1554	Quick Coupling Handle	

Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.

## CARE DHS/DCS INSTRUMENT SET

1555

Reverse Measuring Guage



1556

Coupling Screw for Inserting DHS Screw



1557

Guide Shaft for Coupling Screw



1558

Coupling Screw for Removal



1559

DCS Triple Reamer



1560

DCS Angle Guide



1561

Stylet



1562

DHS Triple Reamer-Short Barrel



1566

Angle Guide Adjustable



Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.

## CARE DHS/DCS INSTRUMENT SET

1548A

**Coupling Screw with T-Handle  
for One Step Insertion**



1045

**Large Depth Guage**



1014

**Drill Bit (Quick Coupling) Dia 3.2mm**



1027

**TAPS T-End Dia 4.5mm**



1048

**Large Neutral Load Drill Guide**



1066

**Drill Sleeve 3.2mm/Tap Sleeve  
4.5mm**



1067

**Drill Sleeve 3.2mm/Tap  
Sleeve 6.5mm**



1029

**TAPS T-End Dia 6.5mm (Cancellous)**



1055

**Hexagonal Screw Driver Tip 3.5mm**



Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.

## CARE DHS/DCS INSTRUMENT SET



Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.

## CARE DHS/DCS INSTRUMENT SET

Ref. No.	Description
<b>3004A</b>	<b>SET FOR DYNAMIC HIP SCREW – DHS/DCS</b>
	<b>CONTENTS:-</b>
<b>1546</b>	DHS GUIDE WIRE WITH THREAD
<b>1547</b>	DHS ANGLE GUIDE – 135°
<b>1548</b>	WRENCH FOR DHS SCREW
<b>1549</b>	DHS TRIPPLE REAMER – STANDARD
<b>1550</b>	IMPACTOR
<b>1550A</b>	NYLON FACE
<b>1551</b>	TAP FOR DHS SCREW
<b>1552</b>	CENTERING SLEEVE FOR TAP
<b>1553</b>	CENTERING SLEEVE FOR WRENCH
<b>1554</b>	QUICK COUPLING HANDLE
<b>1555</b>	REVERSE MEASURING GAUGE
<b>1556</b>	COUPLING SCREW FOR INSERTING DHS SCREW
<b>1557</b>	GUIDE SHAFT FOR COUPLING SCREW
<b>1558</b>	COUPLING SCREW FOR REMOVAL
<b>1559</b>	DCS TRIPLE REAMER
<b>1560</b>	DCS ANGLE GUIDE
<b>1561</b>	STYLET
<b>1562</b>	DHS TRIPPLE REAMER – SHORT BARREL
<b>1566</b>	ANGLE GUIDE ADJUSTABLE
<b>1548A</b>	COUPLING SCREW WITH T-HANDLE FOR 1 STEP INSERTION
<b>1045</b>	LARGE DEPTH GAUGE
<b>1014</b>	DRILL BIT [QUICK COUPLING] Dia - 3.2mm
<b>1027</b>	TAPS [T - END] Dia - 4.5mm
<b>1048</b>	LARGE NEUTRAL LOAD DRILL GUIDE
<b>1066</b>	DRILL SLEEVE 3.2mm/ TAP SLEEVE 4.5mm
<b>1067</b>	DRILL SLEEVE 3.2mm/ TAP SLEEVE 6.5mm
<b>1029</b>	TAPS [T - END] Dia - 6.5mm (CANCELLOUS)
<b>1055</b>	HEXAGONAL SCREW DRIVER TIP - 3.5mm

Specifications, size, shape subject to change without notice.  
 Picture shape if similar to any other manufacturers is just a co-incident.